



HP Color LaserJet Managed MFP E78228dn

The next generation of quality, productivity, and security

HP Managed MFPs and printers are optimised for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>

Big colour. Small cost.

- Print premium, professional-quality documents with vivid colour images and graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office and SharePoint, plus email, USB, and network folders.¹
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast – up to 28 ppm.²

The world's most secure printing³

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code – digitally signed by HP.



Color touchscreen



HP Web Jetadmin



Easy access USB



2-sided printing




Quality Laser printing

Product walkaround

HP Color LaserJet Managed MFP E78228dn shown

1. Hardware Integration Pocket (for connecting accessory and third-party devices)
2. Flatbed scanner supports media sizes up to A3
3. Easy-access USB port
4. 500 sheet output bin
5. Front door access to toner cartridges and imaging drums
6. Automatic two-sided printing
7. 520 sheet tray 2 supports media sizes up to A4
8. 520 sheet tray 3 supports media sizes up to A3
9. 100-sheet reversing automatic document feeder (ADF) supports media sizes up to A4
10. 22.8 cm (9.0-inch) functional touchscreen with 20.3 cm (8.0-inch) colour graphics display
11. Right door access to print path and fuser
12. 100 sheet multipurpose tray 1 supports media sizes up to A3
13. Slot for cable-type security lock
14. 2 Hi-Speed USB 2.0 Host ports
15. Gigabit Ethernet port
16. Hi-Speed USB 2.0 device port



Accessories, Supplies and Support

Supplies	5PN63A HP LaserJet Image Transfer Kit (Up to 400,000 pages)
	5PN64A HP LaserJet Image Transfer Blade Kit (Up to 200,000 pages)
	5PN65A HP LaserJet Transfer Roller Kit (Up to 200,000 pages)
	8JM70A HP Color LaserJet 8JM70A Black Developer Unit (300,000 pages)
	8JM71A HP Color LaserJet 8JM71A Magenta Developer Unit (300,000 pages)
	8JM72A HP Color LaserJet 8JM72A Yellow Developer Unit (300,000 pages)
	8JM73A HP Color LaserJet 8JM73A Cyan Developer Unit (300,000 pages)
	W9215MC HP W9215MC Managed LaserJet Imaging Drum (135,000 pages)
	W9220MC HP W9220MC Black Managed LaserJet Toner Cartridge (25,000 pages)
	W9221MC HP W9221MC Cyan Managed LaserJet Toner Cartridge (20,000 pages)
	W9222MC HP W9222MC Yellow Managed LaserJet Toner Cartridge (20,000 pages)
	W9223MC HP W9223MC Magenta Managed LaserJet Toner Cartridge (20,000 pages)
	Accessories
2NR12A HP Removable Hard Drive Enclosure	
2TD64A HP Accessibility Kit	
3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory	
5YP34A HP 5YP34A Laser HDD Accessory	
8FP31A HP Jetdirect LAN Accessory	
B5L28A HP Internal USB Ports	
B5L29A HP High-Performance Secure Hard Disk	
B5L31A HP Foreign Interface Harness	
E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	
X3D03A HP Universal USB Proximity Card Reader	
Y1F97A HP LaserJet Dual Cassette Workgroup Feeder	
Y1G00A HP LaserJet Inner Finisher	
Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch	
Y1G04A HP LaserJet Inner Finisher Swedish Punch	
Y1G13A HP LaserJet Inner/Booklet Staples	
Y1G15A HP LaserJet Workgroup Job Separator	
Y1G17A HP LaserJet Printer Cabinet	
Y1G22A HP LaserJet Paper Tray Heaters Accessory	
Y1G23A HP LaserJet Second Exit Accessory	
Service and Support	UB4R2E HP 1 year Next Business Day with Defective Media Retention for Color LaserJet E78223-E78228 Service
	UB4R3E HP 3 years Next Business Day with Defective Media Retention for Color LaserJet E78223-E78228 Service
	UB4R4E HP 4 years Next Business Day with Defective Media Retention for Color LaserJet E78223-E78228 Service
	UB4R5E HP 5 years Next Business Day with Defective Media Retention for Color LaserJet E78223-E78228 Service
	UB4S3PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for Color LaserJet E78223-E78228 Service
UB4S4PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for Color LaserJet E78223-E78228 Service	

Technical specifications

Model	HP Color LaserJet Managed MFP E78228dn
Product number	8GS37A
Functions	Print, copy, scan, fax (optional)
Control panel	22.8 cm (9.0-in) functional touchscreen with 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; Tilting (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print	
Print technology	Laser
Print speed	Black (A4, normal): Up to 28 ppm; Colour (A4, normal): Up to 28 ppm; Black (A4, duplex): Up to 20 ipm; Colour (A4, duplex): Up to 21 ipm;
First page out	Black (A4, ready): As fast as 8.9 sec; Colour (A4, ready): As fast as 11.0 sec; Black (A4, sleep): As fast as 25 sec; Colour (A4, sleep): As fast as 25 sec;
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Colour (best): Up to 1200 x 1200 dpi reduced speed; Technology: Normal (600 x 600 4-bit); Best (1200 x 1200 1-bit);
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume: Up to 20,000
Printer smart software features	Quality colour printing for a great value is a smart choice for any business. Produce premium, professional-quality colour documents at a competitive low cost with an HP Color LaserJet MFP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization.
Standard print languages	HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible
Fonts and typefaces	84 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area : 288.5 x 423.6 mm
Duplex printing	Automatic (standard)
Copy	
Copy speed	Black (A4): Up to 28 cpm; Colour (A4): Up to 28 cpm
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); Optimised text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; Content orientation; Collation; ID Scan; Job build; Job Storage; Watermark; Stamps; Book mode scans; Erase edges; Automatically detect colour/monochrome; Image Preview; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed	Normal (A4): Up to 46 ipm; Duplex (A4): Up to 19 ipm
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scanner specifications	Scanner type Flatbed, ADF; Scan technology: Platen Scanner (CCD); Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: UP to 600 x 600 dpi
Scanner advanced features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB; Scan-to-SharePoint
Scannable area	Maximum media size (flatbed): 297 x 432 mm; Minimum media size (ADF): 148 x 210 mm Maximum media size (ADF): 297 x 432 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Compact PDF; Auto Straighten ; Optional: Scan to Job storage; Send to LAN Fax; Send to Internet Fax
Fax	
Fax	Yes, Optional (33.6K, HP MFP Analog 700 Fax Accessory)
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 392 or 300 x 300 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations)
Processor speed	1.2 GHz
Connectivity	
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Optional	HP JetDirect 2900nw Print Server J8031A; HP JetDirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Wireless	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the accessories section, above.
Mobile printing capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; PrinterOn Print
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)
Hard disk	Standard two 16 GB encrypted eMMCs: one is located on formatter board for stored jobs and solutions, another one is located on ECB for copy/scan function; Optional HP High-Performance Secure Hard Disk; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); Optional 500 GB Hard Disk (located on ECB for copy/scan functions). ECB: Engine Controller Board
Memory	Standard: 4.25 GB (Formatter 1.25 GB + ECB 3 GB); Maximum: 1 6.25 GB (standard memory + optional 2 GB)
Media handling	
Number of paper trays	Standard: 3 ; Maximum: 5
Media types	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Envelope, Preprinted, Prepunched, Coloured
Media size	Custom (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm Supported (metric): Tray 1: A3, A4, A4R, A5, A5R, A6, Ra4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Dpostcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, Ra3, Ra4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k ADF: Oficio, Executive, Statement, Ledger, A3, A4, A4R, A5, B4, B5, 16K, 148 x 148 mm to 297 x 432 mm

Model	HP Color LaserJet Managed MFP E78228dn
Product number	8GS37A
Media handling	Standard input: 100 sheet multi-purpose tray, 2 x 520 sheet input tray, 100 sheet ADF Standard output: 500 sheet face-down output bin Optional input: Optional 2 x 520 sheet input tray ADF: Standard, 100 sheets
Media weight	Tray 1: 60 to 176 g/m ² ; Tray 2, 3: 60 to 220 g/m ²
Input capacity	Tray 1: Sheets: 100 (75 gsm); envelopes: 10 Tray 2: Up to 520 sheets (75 gsm) Tray 3: Up to 520 sheets (75 gsm) Maximum: Up to 2,180 sheets (75 gsm); MP Tray: up to 100 sheets; Tray 2, 3, 4 and 5: up to 520 sheets ADF: Standard, 100 sheets
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Maximum: Up to 550 sheets
Compatible operating systems	Windows Client OS (32/64-bit): Win10, Win8.1, Win7 Ultimate; Mobile OS: iOS, Android; Mac: Apple® macOS Sierra v10.13, Apple® macOS High Sierra v10.14, Apple® macOS Mojave v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers: For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: For more information on the supported operating systems see http://www.hp.com/go/upd
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix XenApp & XenDesktop 7.6, Novell iPrint server; Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com ; Linux- For more information see http://www.developers.hp.com/hp-linux-imaging-and-printing ; Unix- For more information see http://www.hp.com/go/unixmodelscrips ; Linux- For more information see http://www.developers.hp.com/hp-linux-imaging-and-printing ; Unix- For more information see http://www.hp.com/go/unixmodelscrips ; UPD PCL6 / PS Printer Drivers- For more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems- For more information on the supported operating systems see http://www.hp.com/go/upd
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com Mac: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see http://www.apple.com
Software included	No software solutions are included in the Box only on http://www.hp.com , http://www.123.hp.com
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Printer management	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum: 566 x 725 x 870 mm; Maximum: 935 x 1113 x 1262 mm
Package dimensions (W x D x H)	760 x 890 x 1076 mm
Printer weight	82.9 kg
Package weight	100.1 kg
Operating environment	Temperature: 15 to 30°C Humidity: 20 to 80% RH
Storage conditions	Temperature: -10 to 40°C
Acoustics²	Acoustic power emissions: 6.5 B(A), printing colour simplex A4 at 28 ppm Acoustic pressure emissions: 50 dB(A), printing colour simplex A4 at 28 ppm
Power³	Requirements: Input voltage: 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%); Consumption: 665 watts (printing), 34 watts (ready), 9.5 watts (sleep), 0.6 watts (Final sleep), 0.01 watts (off); Typical Electricity Consumption (TEC)⁴: Blue Angel: 1.573 (kWh/Week); Energy Star: 0.386 (kWh/Week); Power supply type: Internal (Built-in) power supply;
Certifications⁵	CISPR22:2008 (International) CISPR 32:2012/EN 55032:2012 Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU with CE Marking. Other EMC approvals as required by individual countries. EPEAT® Silver; ENERGY STAR® qualified Blue Angel compliant Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies
Country of origin	Made in China
What's in the box⁶	HP Color LaserJet Managed MFP E78228dn printer; Engine; TCU; Drums; Assy-Colour WG Nameplate and Label; Power Cords; Hardware install and setup documentation; Support flyers
Warranty	1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

- ¹ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <http://www.hpconnected.com>.
- ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit [hp.com/go/PrintersThatProtect](http://www.hp.com/go/PrintersThatProtect). For more information: <http://www.hp.com/go/printersecurityclaims>.

Technical specifications disclaimers

- ¹ Maximum Memory can be expanded to 6.25 GB (System memory) by adding optional memory module. 2 GB Memory DIMM Kit (E5K49A) can be purchased separately.
- ² Acoustic power of active scan/copy will be updated after review scan acoustic data.
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
- ⁵ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- ⁶ Please purchase USB cable separately; Service Technician must install units.



www.blauer-engel.de/uz205



© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA October 2020

